

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: FILM X-PRESS KIT 5L**
- **Article number:** 914085\_F
- **Registration number**  
Registration numbers of the individual components: see section 3.2, if applicable.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the preparation:** Photographic solution
- **Uses advised against**  
Only for professional use.  
Do not use for private purposes (household).
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
FUJIFILM Belgium NV  
EUROPARK-NOORD 21-22  
9100 SINT-NIKLAAS  
BELGIUM  
TEL: +32 3 760 02 00
- **Further information obtainable from:** EHS\_FFBE@fujifilm.com
- **1.4 Emergency telephone number:** +32 3 760 02 00 (office hour: 8u-16u30)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Skin Sens. 1      H317 May cause an allergic skin reaction.  
Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
2-methyl-2H-isothiazol-3-one  
1,2-benzisothiazol-3(2H)-one
- **Hazard statements**  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P273      Avoid release to the environment.  
P280      Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.

(Cont. on page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

**Trade name: FILM X-PRESS KIT 5L**

(Cont. from page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P363 Wash contaminated clothing before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ☠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ☠ Skin Sens. 1A, H317	≥0.25-<1%

- **SVHC** Does not contain a SVHC according to REACH, Article 57
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.

(Cont. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 2)

- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.

(Cont. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 3)

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials:

Nitrile rubber (thickness  $\geq 0,38$  mm, breakthrough time > 480 min.).

Neoprene (thickness  $\geq 0,65$  mm, breakthrough time > 240 min.).

Butyl rubber (thickness  $\geq 0,36$  mm, breakthrough time > 480 min.).

For intermittent splash protection corresponding gloves with breakthrough time > 60 min. can be used.

Avoid gloves made of natural rubber

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.



Protective gloves

· **Material of gloves**

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness  $\geq 0.36$  mm, breakthrough time > 480 min), nitrile rubber (thickness  $\geq 0.38$  mm, breakthrough time > 480 min) or neoprene (thickness  $\geq 0.65$  mm, breakthrough time > 240 min).

· **As protection from splashes gloves made of the following materials are suitable:**

For intermittent splash protection corresponding gloves with breakthrough time > 60 min. can be used.

· **Not suitable are gloves made of the following materials:** Natural rubber, NR

· **Eye protection:**

Use chemical safety goggles.

Eye wash fountain should be located in immediate work area



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

· **Body protection:** Protective work clothing

GB

(Cont. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

Trade name: FILM X-PRESS KIT 5L

(Cont. from page 4)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Liquid
Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value at 20 °C: 8.6

##### · Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C:	1.006 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with water: Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

##### · Solvent content:

VOC (EC) 0.00 %

· 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No dangerous reactions known.

(Cont. on page 6)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

**Trade name: FILM X-PRESS KIT 5L**

(Cont. from page 5)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** See "Fire Fighting measures".
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**2682-20-4 2-methyl-2H-isothiazol-3-one**

Oral	LD50	285 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Cont. on page 7)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

**Trade name: FILM X-PRESS KIT 5L**

(Cont. from page 6)

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

· **European waste catalogue**

09 00 00	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01 00	wastes from the photographic industry
09 01 99	wastes not otherwise specified

· **Uncleaned packaging:**

· **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA**

Not applicable

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Not applicable

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Not applicable

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Not applicable

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

Not applicable

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Cont. on page 8)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2020

Version number 4.0

Revision: 10.02.2020

**Trade name: FILM X-PRESS KIT 5L**

(Cont. from page 7)

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

#### · **Creation Date** 28.09.2009

#### · **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity - oral – Category 3
- Acute Tox. 4: Acute toxicity - oral – Category 4
- Acute Tox. 2: Acute toxicity - inhalation – Category 2
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1A: Skin sensitisation – Category 1A
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data modified compared to previous version.**